




Punjab Alkalies & Chemicals Limited

Regd. Office : S.C.O. 125-127, Sector 17-B, Chandigarh - 160 017 (INDIA)
 Phone : 0172-4072508-568, E-mail : info@punjabalkalies.com Fax : 0172-2704797
 CIN : L24119CH1975PLC003607, Website : www.punjabalkalies.com

RFQ Master Enquiry

Ref No PACL/ENQ/1/kkg/PL-RFQ-00055

Date 19/04/2019
 Unit ALL



Dear Sir,

Kindly Send us your most competitive offers so as to reach us on or before 26-APR-19 for the supply of the under mentioned items :

S. No	Item Code / No Description Of Material	Quantity	Unit	
1	PL-039-61055 MAG FLOWMETER 50MM WITH TANTALUM ELECTRODES.	1.000	NO	Fluid acidified brine. Pure brine, operating pressure 2 bar(a), size 50mm, fluid temp. 90 deg C, Density 1120 kg/m3, Dynamic viscosity 0.5 mPas, Flow range 0 to 25 M3/hr, calibrated range 0 to 20 m3/hr, process connection flanged, size 2" as per ANSI #150 RF of SS316 with PTFE/PFA lining on raised portion, Face to face dimension 200mm, Flow tube body MOC SS316 with PTFE lining, Process flange in SS316, coil housing in SS, Trans. housing in die cast Alum. with anti corrosive coating, Protection class IP67, Electrode material Tantalum, Transmitter aux. power supply 85 to 240 Vac, 50Hz, Output 4 to 20 mA, DC, HART, Electrical connections 1/2"NPT(F) with DC cable glands in SS, Local LCD display with keypad UI for all programming & maintenance features. Acceptable make : yokogawa, Endress & Hauser, Forbes marshall, Emerson

Terms & Conditions :

Note: Please send your offer in two separate envelopes having priced & technical bid before due date. Material is required at Nangal (punjab). Please Quote CST,VAT

For PUNJAB ALKALIES & CHEMICAL LIMITED

Please send your quotation in a sealed envelop mentioning our enquiry Ref.No. strictly on the top of the envelope.

KRISHAN KUMAR GOYAL
 DY MANAGER (PROJECTS)

1.Quotation received after the due date may not be considered.

- 2.Exact rates of Sales Tax, Central Sales Tax, Excise duty,Octroi etc. whenever leviable should be clearly specified by you in your quotation, as no subsequent claims will be entertained by us in respect of these, it will not be sufficient to applicable.
- 3.Any alteration or erasure in the quotation should be absolutely legible & duly attested. Over-writing or over-typing of any information may disqualify your quotation.
- 4.Our enquiry reference must be indicated clearly on top of the envelope.
- 5.Your quotation must be for units specified in this enquiry and should be valid

RFQ Master Enquiry

for 90 days from date of opening of offer.

- 6.At our option we may change the quantity of our requirment, or delete items.
- 7.Please give detailed specification and indicate the name of manufacturer of each item and enclose literature.
- 8.Your offer should be duly supported by all relevent technical literature/catalogue/brochure etc.
- 9.Please quote clearly whether your warehouse is covered under excise preview or not. We shall like you to supply material through cenvetable invoice. Next of modvat notes will be compared for commercial evaluation.

IMP: PLEASE INDICATE TARRIF/SUB HEAD UNDER WHICH EXCISE DUTY IS TO BE CHARGED.